# Topic 11:

Integers

Integers - CSc 144 v1.1 (McCann) - p. 1/31

## Background

In this topic we'll learn/review more properties of integer values.

We already know at least two ways in which to categorize integers:

# **Prime Numbers Definition: Factor Definition: Prime Definition: Composite Example(s):** Integers - CSc 144 v1.1 (McCann) - p. 3/31 From the 'Is This a Great Name or What?' Dept. **Theorem: (The Fundamental Theorem of Arithmetic)** If p is a positive integer $\geq 2$ , p is prime or can be expressed as the product of multiple primes. **Example(s): Definition: Prime Factorization**

# Another Prime/Composite Theorem (1 / 2)

Theorem: If $n$ is composite, $n$ has at least one prime	
factor no larger than $\sqrt{n}$ .	
Integers – CSc 144 v1.1 (McCann) – p. 5/31	
Another Prime/Composite Theorem (2 / 2)	
Another Prime/Composite Theorem (2 / 2)  Extra room for the proof:	
Extra room for the proof:	
Extra room for the proof:	
Extra room for the proof:	

# Dear Euclid: How Many Primes Exist? (1 / 2)

ineorem: Ther	re are infinitely many prime intege	:15.
	Intege	rs – CSc 144 v1.1 (McCann) – p. 7/31
Dear Euclid	d: How Many Primes Exis	t? (2 / 2)
	I: How Many Primes Exist If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
Useful detail:	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
Useful detail:	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
Useful detail:	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
Useful detail:	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
Useful detail:	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
Useful detail:	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,
Useful detail:	If $c \mid (a+b)$ and $c \mid a$ , then $c \mid b$ .	,

## Mersenne Numbers (1 / 2)

- The  $n^{th}$  Mersenne Number is  $2^n-1$  (1, 3, 7, 15, ...).
- If n is composite,  $2^n 1$  can't be prime.
  - Why not? As n=ab,  $2^n-1=2^{ab}-1$ , which is a binomial number and so it has  $2^a-1$  as a factor.
- ullet If n is prime,  $2^n-1$  might be prime. ( $2^{11}-1=23\cdot 89$ )
  - o If so, it's called a Mersenne Prime.
  - Only a few dozen such primes have been found.

So ... what's the big deal?


Integers - CSc 144 v1.1 (McCann) - p. 9/31

## Mersenne Numbers (2 / 2)

- There exist efficient tests for the primality of Mersenne numbers (e.g., the Lucas-Lehmer test).
- The GIMPS project uses spare CPU cycles to find Mersenne primes.
  - Curious? Visit: www.mersenne.org

## Division

Name the parts!



Integers - CSc 144 v1.1 (McCann) - p. 11/31

## Too Bad This Isn't Really An Algorithm

D	Definition: Division 'Algorithm'	
		-
Ε	xample(s):	Ì

# Greatest Common Divisor (GCD) (1 / 2)

Definition: Greatest Common Divisor	
xample(s):	
efinition: Relatively Prime	
	Integers – CSc 144 v1.1 (McCann) – p. 13/31
reatest Common Divisor (GCD	) (2 / 2)
<u> </u>	) (2 / 2)
<u> </u>	) (2 / 2)
<u> </u>	) (2 / 2)
<u> </u>	) (2 / 2)
Definition: Pairwise Relatively Prime	) (2 / 2)
Definition: Pairwise Relatively Prime	) (2 / 2)
Definition: Pairwise Relatively Prime	) (2 / 2)
Definition: Pairwise Relatively Prime	) (2 / 2)
Definition: Pairwise Relatively Prime	) (2 / 2)
Pefinition: Pairwise Relatively Prime  Example(s):	) (2 / 2)

## Least Common Multiple (LCM) (1 / 2)

Definition: Least Common Multiple		
Example(s):		

Integers - CSc 144 v1.1 (McCann) - p. 15/31

## Least Common Multiple (LCM) (2 / 2)

### **Example(s):**

At your house, the garbage is collected once a week, a new five gallon bottle of water is delivered every 10 days, and your spouse insists that you vacuum the living room every five days. Yesterday, all three occurred on the same day. How often does that happen?

## **Another Theorem!**

Theorem: If  $a,b \in \mathbb{Z}^+$ , then  $ab = gcd(a,b) \cdot lcm(a,b)$ .

Proof (direct): Consider the prime factorizations of a and b. The LCM is the product of the terms with the larger exponents and all terms that aren't shared. The GCD is the product of the remaining terms. Thus, the product of the LCM and GCD terms is the product of all terms in the prime factorizations.

Therefore, if  $a, b \in \mathbb{Z}^+$ , then  $ab = gcd(a, b) \cdot lcm(a, b)$ .

Integers - CSc 144 v1.1 (McCann) - p. 17/31

## Congruences (1/3)

It is pitch black. You are likely to be eaten by a ...

## Congruences (2/3)

(Review from Topic 1.)

## **Definition: Congruent Modulo** m

If  $a,b\in\mathbb{Z}$  and  $m\in\mathbb{Z}^+$ , then a and b are congruent  $modulo\ m$  (written  $a\equiv b\ (\mathrm{mod}\ m)$ ) iff  $a\ \%\ m=b\ \%\ m$  (or, iff  $m\ |\ (a-b)$ ).

# Example(s):

Integers - CSc 144 v1.1 (McCann) - p. 19/31

## Congruences (3 / 3)

Example(s):

## Number Systems: Decimal

#### The Base 10 (a.k.a. Decimal, a.k.a. Arabic) System

- 10 symbols (glyphs): 0,1,2,3,4,5,6,7,8 and 9.
- In a string of symbols, each position is worth the product of the symbol's value and a power of 10, starting with  $10^0=1$  on the right.

Example(s):		

Integers - CSc 144 v1.1 (McCann) - p. 21/31

## Number Systems: Binary

#### The Base 2 (a.k.a. Binary) System

- Just 2 symbols: 0 and 1.
- Each position is valued with increasing powers of 2.

# Example(s):

# Converting Decimal to Binary

1.	Repeated divisions by 2  Example(s):
2.	Sums of powers of 2
	Example(s):
	Integers – CSc 144 v1.1 (McCann) – p. 23/31
Nu	mber Systems: Octal
(Ke	y point: Octal is based on groups of 3 binary digits)
The	Base 8 (a.k.a. Octal) System
•	8 symbols: 0 through 7, inclusive
•	Each position is valued with increasing powers of 8
Exa	ample(s):

# Converting Octal to ...

Decimal: Multiply digits by powers of 8:  Example(s):
Binary: Convert digits to binary, and "degroup:"  Example(s):
Integers – CSc 144 v1.1 (McCann) – p. 25/31
Number Systems: Hexadecimal
(Key point: 'Hex' is based on groups of 4 binary digits)
The Base 16 (a.k.a. Hexadecimal) System
<ul><li>16 symbols: 0-9, inclusive, and A-F, inclusive</li></ul>
<ul> <li>Each position is valued with increasing powers of 16</li> </ul>
Example(s):

# Why Hexadecimal Is More Common Than Octal

Integers – CSc 144 v1.1 (M	/IcCann) – p. 27/31
Converting Between Octal and Hexadecia	mal
Converting Between Octal and Hexadecia We can use decimal as a go-between, but binary is easier	
We can use decimal as a go-between, but binary is easier	
We can use decimal as a go-between, but binary is easier	
We can use decimal as a go-between, but binary is easier	
We can use decimal as a go-between, but binary is easier	
We can use decimal as a go-between, but binary is easier	

## Other Positional Number Systems (1 / 2)

Decimal, Binary, Octal, and Hexadecimal are the most common, but there are others! Some examples:

Base	Name	Example Use and/or Cultural Origin
3	Ternary	Teaspoon - Tablespoon - Jigger(shot)
12	Duodecimal	Dozen – Gross – Great Gross
20	Vigesimal	Basque, Celtic, Inuit,
26	Hexavigesimal	Encryption using English Alphabet (glyphs A–Z)
36	Hexatrigesimal	Glyphs are 0-9 plus A-Z
60	Sexagesimal	Babylonian numerals; Seconds – Minutes – Hours

Integers - CSc 144 v1.1 (McCann) - p. 29/31


## Other Positional Number Systems (2 / 2)

Using any positional system is easy, now that we know how they work.

## **Example(s):**

## What's The Secret Message?

"Foxtrot" from January 11, 2006:



Hint: Find an ASCII table!

Integers - CSc 144 v1.1 (McCann) - p. 31/31