

CONTENTS.

CHAPTER I. INTRODUCTORY.

The division of the cotton trade into two branches, spinning and manufacturing—India, its birthplace—Indian processes; the Institutes of Menu—Indian competition with the English textile industries the origin of the English cotton trade—Early tendency of the English trade to divide into two sections—Temporary tendency to reunite—Reaction and probable permanency of the division . . . . .	1-8
--	-----

CHAPTER II. EARLY WEAVING AND THE DEVELOPMENT OF THE HAND-LOOM.

Weaving an ancient art; definitions—Its origination in man's necessities—Classic stories of its invention—Modern research and geographical discovery show its wide prevalence—Conjectural origin—Ancient Egyptian weavers, their looms and materials—Survival of the purely manual art—Progress of invention—Supposed looms of the fourth century, A.D.—Stimulations to further improvements; successive advances—The shuttle in its incipient stages; its gradual development—The lathe in its earliest and some succeeding forms—An equipoise between the several parts of the loom; also between spinning and weaving—The horizontal loom and its gradual improvement—The Indian loom; the pacing motion—The loom as Kay found it; its survival in Wales to the present time—The Indian loom described; the Indian weaver humidifies his warp—Loom of Sumatra and Java—Of Japan—Of Salomon Islands—Of New Caledonia—Of Ashango Land—Kay's invention of the fly shuttle—Disturbs the balance between spinning and weaving—Robert Kay's invention of the drop shuttle-box . . . . .	9-54
--	------

CHAPTER III. THE POWER-LOOM AND ITS DEVELOPMENT.

Poverty of early mechanical science; late development of man's inventive faculty—The equilibrium in the productive capacity of the spindle and the loom at the commencement of the eighteenth century; deranged by John Kay's invention—The position reversed by Hargreaves' and Arkwright's inventions—M. de Gennes' and Vaucanson's automatic looms; failure of both; unfavourable circumstances—The Barbour Brothers' improved hand-loom—Cartwright at Cromford propounds the idea of the automatic or power loom—Endeavours to realize it; his first attempt and failure—Examines hand-loom weaving and begins anew—His second attempt, and its wonderful approximation to success; attempting too much the cause of his failure—Description of his loom—His subsequent improvements—Further developments of the loom—Clark's improved slay—Gorton's over-pick—Miller's wiper loom—Johnson's dressing frame—John Todd's improvements—William Horrocks' improvements—His dandy loom—Further improvements and alterations by various succeeding inventors—Richard Roberts and his important inventions and improvements in the loom—Full description of Roberts' loom—Automatic stop-motions for warp and weft threads—William Dickinson's Blackburn loom—His improvement of the picking motion—Inventors upon false tracks—The draught and pacing motions—Smith's scroll pick—Kenworthy and Bullough, the Blackburn inventors—The automatic weft stop-motion; Ramsbottom and Holt's double vertical loom—James Bullough's double horizontal loom—Parkinson's disc temple—James Bullough's improved weft-fork arrangement, and trough and roller temple; description—Clinton G. Gilroy's claim to the former examined—The power-loom in principle now a perfect automaton, and an economical success—Its further improvement by a multitude of inventors . . . . .	PAGE 55-98
--	---------------

CHAPTER IV. WEAVING AND THE CONSTRUCTION OF WOVEN FABRICS.

The principles of weaving—Its simplest form—The variety of weaves—Texture of plain cloth—Healds and reed—Weaving with one shaft of healds—Ornamentation of plain cloth— <i>The plain weave</i> , and its variations— <i>The three-shaft twill</i> ; designs and drafts— <i>The four-shaft twill</i> ; designs and drafts— <i>The five-shaft twill</i> ; designs,
--

CONTENTS.

xi

xii

CONTENTS.

PAGE

etc.—*The six-shaft twill*; designs, weave plans, and drafts—*The seven-shaft twill*; designs and weave plans—*The eight-shaft twill*, and variations—*The nine-shaft twill*—*The ten-shaft twill*, etc.—*Double and multiple cloth weaving*; description—The fundamental principles of double-cloth weaving; numerous illustrations—The laying out of fancy double cloths—*Crimped cloths*; how to get the best effects; illustrations—*Gauze or Leno weaving*; description—Best expression of the gauze weave—Light and elaborate effects—*Cords, velvets, velveteens, plushes, moleskins*; descriptions and illustrations—*Jacquard harness*; the London and Norwich ties—The hooks of the jacquard machine—Building the harness—*Damask weaving*; the shedding capacity of the jacquard machine—Designing for the jacquard—Design or point paper—Simplicity of jacquard drafts—“Casting out” hooks and mails—*The analysis or dissection of woven fabrics*; points to be noted, and method of procedure . . . 99-163

CHAPTER V. THE MODERN POWER-LOOM.

The power-loom perfected in principle in 1841; subsequent improvement in details—Fast reed looms *illustrated* and described in detail—The warp protector—The loose reed loom, *illustrated*; detailed description—The picking motion; the shedding motion; furnishing the loom with warp; the process or mechanical action of the loom in weaving—The speed and production of looms—The weaver's duties—The beauty and productive capacity of the loom, and the advantages resulting therefrom . . . 164-175

CHAPTER VI. THE DEVELOPMENT OF THE SHEDDING MOTION.

Specialization of cotton manufacturing—Shedding power of the loom; plain cloth, *illustrated*—Four-leaved twill, *illustrated*—Spring headpiece, *illustrated*—The cylinder motion—Jamieson's shedding motion, *illustrated*—The Bradford shedding motion, *illustrated*—Fustian loom with Woodcroft tappets, *illustrated*—The draw-loom—The drawboy machine—The jacquard machine—Joseph Marie Jacquard, brief sketch—Introduction of the machine to England and rapid spread in the weaving districts—Variety of types—Sizes of the machine, how expressed—Double-lift jacquard, *illustrated*—The parts of the machine described and *illustrated*; the hooks, the needles, the griffes, the batten, the cylinder, the

card—Function of the cylinder—Hooks and needles as combined for work, *illustrated*—Function of the cards—The needle-board and lintel-frame—The spring-box, *illustrated*—Various types of jacquards, single-lift, double machines, compound machines, and leno machine, all *illustrated*—Brierley's improved driving arrangement, *illustrated*—The dobby, a modified jacquard—Its development—Hattersley and Smith's dobby, and Eccles's, *illustrated*—Various types of dobbies—The patent cardless, automatic, cross-border, combination dobby, described and *illustrated*—Its great capacity for the production and variations of patterns—Patterns, *illustrated* . . . . . 176-222,

CHAPTER VII. THE DEVELOPMENT OF THE PICKING MOTION.

The limited picking power of the loom—Its development required for cross-stripes and checks—Robert Kay's invention of the drop-box—Its working described—The hand-loom lathe with drop-boxes at each end, *illustrated*—Dr. Cartwright's power-loom multi-chambered shuttle-boxes—Duncan's suggestion of drop-boxes—Morison's, and Naylor and Crighton's patents—Luke Smith's revolving boxes—Gradual supersession of the hand-loom by the power-loom; suffering incident thereto—The manufacture of hand-loom fancy goods the latest to be affected—Their decay and final extinction by the improvements of the power-loom—Final disappearance of the hand-loom cotton weaver—Steady expansion of the shedding and picking capacity of the power-loom—Diggles chain motion for drop-boxes—Wright Shaw's check loom, 1868—Shaw's further improvements, 1887—The improved loom described and *illustrated*—Further improvements in 1889—Hall's revolving shuttle-box loom, *illustrated*—Conclusion of the subject . . . . . 223-244

CHAPTER VIII. THE WINDING AND WARPING PROCESSES AND MACHINERY.

The accumulation of yarns in cop and bobbin forms, *illustrated*—Indian winding, reeling, and warping, *illustrated*—Old English peg warping, *illustrated*—The old textile technical words, “beer” and “porter”—Invention of the old circular or ball-warping mill; description, *illustrated*—The multiple spindle winding machine; inventor not known; description, *illustrated*—

CONTENTS.

xiii

PAGE

Mangle-wheel motion, *illustrated*—Improved bobbin winding machine for ring-frame bobbins, *illustrated*—The coloured goods trade—Improved hank-reel, reeling from cops, *illustrated*—The Coleby reels, *illustrated*—The yarn bundling press, *illustrated*—Reeled yarns for bleaching and dyeing, and their treatment—Hank winding, and hank winding machines, *illustrated*—The invention of dressing and sizing machines materially change the method of warping, namely, to beaming—The invention of the beaming machine—Its improvement by William Kenworthy—Rosseter's and Singleton's automatic-stopping beaming machines, described and *illustrated*—The measurement of yarn upon beaming-machine beams—Coloured goods trade; section-warping machine, described and *illustrated*—Method of working it—The section-beaming or "running-off" machine, *illustrated*—A new warping mill for making ball-warps for bleaching or dyeing purposes, *illustrated*—A new dressing and beaming machine for coloured warps, *illustrated*—The warp chaining machine, *illustrated* . . . . . 245-296

CHAPTER IX. YARN BLEACHING AND DYEING.

Yarn bleaching and dyeing—The processes of bleaching—The injector kier, *illustrated*—Chloring—Souring—Improved bleaching machine, *illustrated*—Hank dyeing by hand in tubs and vats—Mechanical systems of dyeing—The Klauder-Weldon machine, *illustrated*—Its advantages—Hank drying; disadvantages of stoves—Improved drying machine, *illustrated*; its advantages—Hank stretching and brushing machine, *illustrated*—Warp dyeing—Cop dyeing; Graeniger's machine; Crippin's machine, *illustrated* and described—Practical recipes for dyeing, and where to obtain them . . . . . 297-319

CHAPTER X. THE DEVELOPMENT OF THE ART OF DRESSING OR SIZEING, AND THE MACHINERY EMPLOYED IN THE PROCESSES.

Sizeing: its meaning and purpose—Early Indian sizeing—The sizeing of Dacca muslins—Indian size—Early English size; a recipe—Recent progress in size compounding—The mechanical appliances of sizeing—Hand warp dressing and drying—Duncan's suggestions of improvements—Hand warp sizeing—Sizeing shops—Warp

xiv

CONTENTS.

PAGE

dressing in the power-loom—Radcliffe's suggestions for improvements—Johnson's invention of the dressing machine—Detailed description, with improvements, *illustrated*—Further improvements by other inventors—Hornby and Kenworthy's tape-sizeing machine—Kenworthy, the inventor—His tape-sizeing described and *illustrated*—Its distinctive merits—James Bullough, the inventor—Stimulation to invention—Bullough, Walmsley, and Whittaker's invention of the "Slasher" sizeing machine, an improvement upon the tape-sizeing machine—Improvements of the Slasher by Atherton, Kinloch, and Swainson, and William Garnett—Leigh's "silica" size; results of experiments with it—The Slasher sizeing machine of to-day; description and illustration—The creel—The size trough—The boiling pipe—the immersion, sizeing, and pressure rollers—Importance of keeping the rollers in order—The passage of the yarn—The drying cylinders—The headstock: the fan, the opening rods, the measuring roller, and the marker—Ball warp and hank sizeing—The hand hank-sizeing machine, *illustrated*—The power hank-sizeing machine, *illustrated*—Size for coloured yarns—The systems of sizeing in use, and the causes of their maintenance—Ball warp sizeing—Dressing—Slashing—Hank sizeing in parti-coloured goods—Cotton manufacturing, spinning, and weaving; the operatives . . . . . 320-352

CHAPTER XI. THE CONSTRUCTION AND EQUIPMENT OF A WEAVING ESTABLISHMENT.

Cotton "manufacturing," its trade and technical significance—Proportionate capital employed to wages paid—Selection of locality and site of premises—Causes of concentration in towns—Essentials of success—Requisite conditions and circumstances—A humid location best—Traffic and industrial conveniences—Materials of construction for buildings—The weaving process should be upon ground floor—Arrangement of light—Plan of weaving establishment, *illustrated*—Location of the machinery—Rope-driving *versus* wheel-gearing—Supplementary engine—Steam generating arrangements—The Lancashire boiler with Galloway tubes, *illustrated*—Increased economy desirable—Tentative improvements, *illustrated*—Mechanical stokers—Mechanical stoker feeder, *illustrated*—Economizer, *illustrated*—Improved boiler valves, *illustrated*—The steam engine, *illustrated*—Gearing, shafting, and pulleys, *illustrated*—Swivelling bearings, *illustrated*—Toothed gearing, belts, and

ropes—The introduction of rope-driving into Lancashire—Best material for driving ropes—The strain and flexure of driving ropes—The Lambeth rope, *illustrated*—Its peculiarity of construction, tensile strength, flexibility, and inelasticity . . . . . 353-386

CHAPTER XII. MISCELLANEOUS MATTERS IN THE EQUIPMENT AND ORGANIZATION OF A COTTON MANUFACTURING ESTABLISHMENT.

An East Lancashire cotton manufacturing establishment selected as typical of the trade—Classification of cotton goods—A selection for one mill necessary—A mill for the production of goods for Eastern markets described—Blackburn the centre of this industry—The construction of the mill and the concurrent provision of engines and machinery necessary—Mill stores—The selection of proper qualities of yarns and production of sample cloths of primary importance—Reception of yarns and subsequent passages through processes indicated—THE YARN STORE: described—THE PURCHASE OF YARNS: the qualities to be looked for—GENERAL QUALITIES OF YARN: the necessity of selecting proper standards and preserving samples—TESTING OF YARNS: permissible amount of variation of counts; coarse or fine counts and moisture—A STANDARD COTTON AND YARN TESTER: crude methods of testing unreliable and unsatisfactory—A scientific standard of dryness from the International Congress of Turin—A scientific yarn tester for damp yarns, *illustrated*—Percentages of loss on 1 lb. of yarn—Points to be taken into consideration—TESTING COUNTS: should be carefully performed; its great importance—YARN TESTING AND INSPECTING MACHINES, *illustrated* and described—How to use them—Preservation of samples—How to ascertain the amount of twist by it—Test for elasticity, *illustrated*—The ordinary method of testing defective—A twist tester, *illustrated*—Testing by calculation the best method of getting uniform weights of cloth—TESTING YARNS FOR STRENGTH: testing by hand, and its advantages in showing the presence of other faults—Thick and thin places, "neps," "crackers," their origin, etc.—Thelea strength tester, *illustrated*—The only satisfactory and perfectly reliable test is derived from the careful examination of a yarn in practical work . . . . . 387-410

CHAPTER XIII. THE PROCESSES OF MANUFACTURING.

Definitions: Winding; Warping; Sizing; Drawing; Weaving—Peculiar system of paying winders; rates of wages—Details of work; careful supervision required—Winding weft yarns on pirns; pirn machines, *illustrated*—Multiple yarn winding—Proportion of winding spindles for looms—Warping; points to be regarded; the weighing of beams—Proportion of machines for looms—Sizing; its great importance; ball-warp sizing; cylinder, and air-drying machines; important points; bad work; good work; proper drying; piece-marking; risks of loss accruing—An improved piece-marker, *illustrated*—The beam presser, *illustrated*; its advantages—Drawing and twisting—Proper storage of beams, and healds and reeds—Weaving; its chief essentials good weavers and good machinery—The "gating" of new looms; requisites—The tackler's bench—Pickers, and how to season them—Testing a new loom—The shuttle and its importance.—The setting of the various parts of the loom—The warp shed—The pacing of the warp; the rope—Simple and compound levers—Hopwood's improved pacing motion—Combined beam pike, ruffle, and flange—The ordinary taking-up gear; details of a common dividend—Pickles' and Sagar's gear; their advantages—THE WAREHOUSE: the plating machine, *illustrated*—Making-up—Bundle pressing; improved bundle press, *illustrated*—Delivery of the cloth . . . . . 411-440

CHAPTER XIV. SIZING MATERIALS AND THE MANUFACTURE OF SIZE.

The importance of size mixing—The construction of cotton yarns—The necessity and purposes of sizing—Organic and inorganic materials used in the composition of size—The chemical composition of wheat flour—Rice flour—Maize flour—Sago—Corn starches—Farina or potato starch—The harshness of the sizing materials, and the necessity of introducing softening matters; chloride of magnesium—Heavy sizing and mildew; legal responsibilities of the manufacturer—Antiseptics; chloride of zinc—Four prominent facts in sizing—Organic softening ingredients—Tallow—Palm oil—Coco, castor, and olive oils—Glycerine—Irish moss—Soaps; their compo-

CONTENTS.

xvii

PAGE

sition, value, and uses—Inorganic substances for weighting, deliquescent, and antiseptic purposes—China clay; its origin, preparation, and chemical composition; qualities—French chalk and terra alba—Chemical salts: Epsom, Glauber's, and sulphate of baryta—Deliquescents and their purpose—Chloride of magnesium; its manufacture—Care required in its use—Chloride of zinc; value as an antiseptic—Its chemical nature and manufacture—Other antiseptics best avoided—The blending of size; careful and thorough study of it wanted—The progressive development of sizing—Mr. James Eastwood's inventions—The mechanical size mixer and boiler of to-day—Automatic drawing of the size—Effectiveness and value of the mechanical size mixer—Light, medium, and heavy sizing, percentages of weight, and the cloths for which they are used—Recipes for size mixings—Weight in lb. of a gallon of chloride of magnesium, zinc, and water—How to mix sizing ingredients—The steeping of flour—Mixings for bleached and dyed yarns—Sizing of bleached and coloured yarns—Dulling of colours by sizing, and how to overcome it—List of suitable colours for this purpose—The proportions of water in size mixings—How size mixings should "Twaddle"—The injection of steam weakens size—Size mixing plant and sizing machines should be placed near boiler . . . . . 441-467

CHAPTER XV. HINTS ON MANAGEMENT.

A good practical or theoretical knowledge of the trade by principals a requirement of success—Checks carelessness and promotes efficiency amongst subordinates—Best locations and sites for weaving mills—Temptations to indiscipline—Managerial oversight—Qualities of a good manager—Foremen—The winding master and his functions—Winding—Warping—Uniform weights of sets of beams and how to get them—The sizing room and its supervision—Details—Tacklers and their duties—Should possess technical knowledge—A good tackler will get good weavers—A good class of weavers a necessity—Good discipline in the weaving shed conducive to success—THE WAREHOUSE an important department—The piece book and the "tally boards;" checking errors—Cloth-looking; various methods—Defective cloth—The onerous duties and responsibilities of a cloth-looker; qualities of a good one; necessity of supporting his authority—Hooking or plaiting and making-up—Over-

xviii

CONTENTS.

PAGE

working the warehouse staff, bad policy; mill and Manchester cloth-lookers—Disadvantages of buying poor yarns—Isolated strikes—Immoral conduct—The Factory Acts—Mill managers should be acquainted with them—Why employers are prosecuted for the offences of operatives—A means of defence—Clause 87 of the Act of 1878—The "Steaming Act"—Atmospheric humidity and its variations; its influence upon cotton weaving—The suspension of water in the atmosphere at various temperatures—Means of measuring it—Humidity schedule of the Cotton Cloth Factories Act—Care required to avoid penalties . . . . . 468-493

CHAPTER XVI. STANDARD LISTS OF WAGES.

The origin of Standard Lists of Wages—Wages in the transition period; struggles; and the evolution of the "Blackburn Standard List"—Its basis—Its authors—Adoption with modifications by other districts—Necessity for a Uniform List—The advantages of these Lists to both employers and employed—THE UNIFORM LIST:—The Standard; width of loom; allowances for broader cloth than admitted by rule; allowances for narrow cloths, with tables; Reeds; Picks; Twist; Weft; Four-staved Twills; Splits; additions and deductions; time of List coming into operation—The conferences at which the List was drawn up and signed—Portions of the old Blackburn List incorporated with the new—Plain dhooties; dobbie dhooties; dhooty headings; additions upon plain cloth prices for satins, drills, drillets; for lenos; for double-lift jacquards; for dobbie and tappet motions; exceptions—Blackburn prices for winding; for patent beam warping; for tape-sizing or slashing; for looming and drawing; overlookers' poundage—Burnley prices for winding; for looming and drawing; overlookers' poundage—Colne District Coloured Goods Weaving List—Oldham Velvet Weaving List—Bolton Quilt Weaving List—Specialties in looms, and the districts in which they are made—Blackburn makers: Messrs. Henry Livesey, Limited; John Dugdale and Sons; William Dickinson and Sons; Willan and Mills—Burnley makers: Messrs. Butterworth and Dickinson—Bury makers: Messrs. Robert Hall and Sons; Hacking and Co.—In other towns: Messrs. Platt Bros. and Co., Limited; Smith Bros.; Richardson, Tuer and Co.—Preparation weaving machinery: Howard and Bullough—Winding machines: Mr. Joseph Stubbs; Messrs.

CONTENTS.

xix

	PAGE
John Horrocks and Sons; Brooks and Doxey; J. and T. Boyd; and Mr. Thomas Coleby—Temples and temple makers: Messrs. Lupton Bros.; and J. Blezard and Sons—Jacquard makers: Messrs. Devoge and Co.; James McMurdo—Card cutting and card lacing machines: Messrs. William Ayrton and Co.—The end . . .	494-523

LIST OF ILLUSTRATIONS.

FIG.	PAGE
1. Ancient Egyptian Weaver . . . . .	19
2. Vertical Egyptian Loom with Two Weavers. . . . .	21
3. Single Egyptian Weaver at Vertical Loom . . . . .	23
4. Grecian Vertical Loom . . . . .	24
5. Greek Double Loom . . . . .	28
6. Flemish Loom about 1560 . . . . .	37
7. French Loom, side view; about 1740 . . . . .	38
8. French Loom, front view . . . . .	39
9. Indian Out-door Loom . . . . .	42
10. Indoor Indian Weaver . . . . .	43
11. A Japanese Weaver . . . . .	45
12. Loom from the Salomon Islands . . . . .	46
13. An Ishogo Weaver; Ashango Land, West Africa . . . . .	47
14. Kay's Flyshuttle Loom . . . . .	51
15. Robert Kay's Drop-box Arrangement, 1760 . . . . .	53
16. Cartwright's First Power Loom, 1785 . . . . .	61
17. Cartwright's Second Loom and details, 1786. . . . .	64
18. Roberts' Loom. "First side elevation;" 1830 . . . . .	74
19. Roberts' Loom, front view . . . . .	75
20. Roberts' Loom. Second side elevation. . . . .	76
21, 22. Roberts' Loom Shuttle, plan and side views . . . . .	78
23. Section and Plan of Plain Cloth . . . . .	103
24. Design of Plain Cloth . . . . .	104
25. Shaft of Healds (broken) . . . . .	104
26. Section of set of Healds for Plain Cloth . . . . .	105
27. Reed and Section . . . . .	105
28. Plain Cloth, with the Design, Weave Plans, and Variations . . . . .	109
29-32. The 3-Shaft Twill, with Designs, Drafts, etc. . . . .	111
33-38. The 4-shaft Twill: Designs, Weave Plans, and Drafts . . . . .	114
39-43. The 5-Shaft Twill Design, etc. . . . .	116
44-50. The 6-Shaft Twill: Designs, Weave Plans, and Drafts . . . . .	118
51-53. The 7-Shaft Twill: Designs and Weave Plans. . . . .	120
54-58. The 8-Shaft Twill and Variations . . . . .	122, 123
59-61. The 9-Shaft Twill, etc. . . . .	124