

CONTENTS

CHAPTER I

INTRODUCTION

	PAGES
(§§1-3)	1-3

CHAPTER II

VARIETIES OF YARN

General Classification of Yarn (§§4-7)—Primary and Subsequent Forms of Warp Yarn: Single Yarn (§8)—Folded Yarn (§9)—Subsequent Forms of Yarn (§10)	4-9
--	-----

CHAPTER III

THE GENERAL ROUTINE OF TEXTILE MANUFACTURE

SEQUENCE AND CHARACTER OF OPERATIONS (§11): 1. Reeling (§12); 2. Winding (§13); 3. Warping (§14); 4. Sizing (§15); 5. Beaming or Winding-on (§16); 6. Looming (§17); 7. Gaiting or Tuning (§18); 8. Weaving (§19)—Summary of Three Systems of Preparing Grey Warps (§§20-22)—Summary of Three Systems of Preparing Bleached and Mono-coloured Warps (§23)—Summary of Four Systems of Preparing Multi-coloured Striped Warps (§24)	10-18
---	-------

CHAPTER IV

SYSTEMS OF PREPARING GREY OR PLAIN WARPS

Operation of Cop or Bobbin Winding (§25)—COP OR BOBBIN WINDING MACHINES (§§26-43)—Traverse Motions (§§44-6)—Mangle-wheel Traverse Motions (§§47-53)—Heart-cam Traverse Motions (§§54-61)—DETAILS OF COP OR BOBBIN WINDING MACHINES: Yarn Clearer Guides (§§62-75)—Yarn-cleansing Devices (§§76-9)—The Driving Drums and Winding Spindles (§§80-3)—Methods of Applying Tension upon Yarn during Winding (§§84-95)—Defects inherent to Cop or Bobbin Winding Machines (§§96-102)—DATA RELATING TO COP OR BOBBIN WINDING MACHINES: Dimensions, Weight,	
---	--

	PAGES
Cost, Depreciation, Ratio of Winding Spindles to Looms, Power, Speed of Winding Spindles, Production, Waste, Character and Amount of Labour, Rate of Wages—Blackburn, Burnley, and Independent Standard Lists of Prices, Prices for Winding Ring and Flyer Throstle Yarn, Weekly Earnings (§§103-15)	19-89

CHAPTER V

KNOTS: ALSO MECHANICAL KNOTTERS FOR PIECING
THREADS

Importance of Tying Good Knots in Warp Yarn (§§116-7)—Fabrics in which Knots constitute Serious Impediments (§§118-9)—Winders' or Spoolers' Knot (§120)—Weavers' Knot (§121)—MECHANICAL KNOTTERS: Description of Five Distinct Types of Knotters (§§122-8)	90-100
--	--------

CHAPTER VI

BEAM WARPING

Operation of Beam Warping (§§129-131)—BEAM WARPING MACHINES (§§132-4): Driving Gear (§135)—Singleton's Automatic Thread Stop Motion (§§136-8)—Automatic Measuring and Stop Motion (§§139-140)—Length Indicator (§141)—Yarn Tension Device (§142)—Adjustable Reeds (§143)—SPECIAL ATTACHMENTS (§§144-5): Brimelow's Automatic Thread Stop Motion (§146)—Hitchon's Combined Length Indicator and Stop Motion (§§147-9)—Driving Gear (§§150-3)—Brakes (§§154-5)—Beam Evener and Retaining Device (§§156-7)—Minor Accessories (§158)—FALLING-ROD MACHINES (§159): Falling-rod Yarn Tension Device (§160)—AMERICAN MODIFICATION: 1. Driving Gear (§161); 2. Cast Iron Winding Drum (§162); 3. Yarn Tension Device (§163)—Beam Hauling Gear (§164)—Livesey's Modification (§165)—DATA RELATING TO BEAM-WARPING MACHINES: Dimensions, Weight, Cost, Depreciation, Ratio of Warping Machines to Looms, Power, Speed, Production, Waste, Character and Amount of Labour, Rate of Wages—Blackburn, Burnley, and Two Independent Standard Lists of Prices, Weekly Earnings (§§166-178)	101-159
---	---------

CHAPTER VII

CYLINDER-DRYING SLASHER OR TAPE SIZING

Various Types and Modifications of Beam Warp Sizing Machines and their Functions (§179)—THE PRINCIPAL SECTIONS OF A SLASHER SIZING MACHINE: 1. The Sizing Apparatus; 2. The Drying and Cooling Apparatus; 3. The Headstock (§180)—DETAILS OF THE SLASHER OR TAPE SIZING MACHINE: Progress of Yarn through	
---	--

CONTENTS

ix
PAGES

the Machine (§§181-2)—Different Forms of Beam Creels and their Relative Advantages (§§183-5) — Methods of Regulating the Tension upon Yarn (§§186-7) — Yarn-conditioning Apparatus (§§187-8) — Sizing Apparatus (§189) — Size-boxes (§§190-6) — Size-agitators (§§196-8) — Sizing and Finishing or Squeezing Rollers (§§199-200)—Construction of Sizing and Finishing Rollers (§§201-7) — Suitable Weights of, and Methods of Driving the Squeezing or Finishing Rollers (§§205-7)—Yarn Brushing Device (§208)—The Drying Cylinders (§§209-11)—Cylinder Construction (§212)—Admission of Steam to the Cylinders (§213)—Cylinder Water-buckets (§§214-5) — CYLINDER EXPLOSION RISKS: Reports of Two Cylinder Explosions (§§216-8) — Methods of Mounting and Driving the Drying Cylinders (§219)—Frictional Driving Motions for Cylinders (§§220-1)—Relative Disposition of the Drying Cylinders (§§222-6) — Cooling Fans (§227) — Dividing Rods (§228)—Driving Gear (§229)—Full-speed Differential Driving Gear (§§230-4)—Slow-speed Driving Gear (§§235-7)—Frictional Beaming or Winding-on Motions (§§238-248)—Yarn-beam Pressing Rollers (§§249-254)—Cut-marking and Measuring Motions (§§255-270)—Sheeting or Yarn-spreading Rollers (§§271-5)—ECONOMY IN STEAM CONSUMPTION FOR SIZING (§§276-281)—CONSTRUCTING, VENTILATING AND HUMIDIFYING SIZING ROOMS: 1. Position; 2. Floor; 3. Walls; 4. Windows; 5. Roof; 6. Dimensions; 7. Heating; 8. Ventilating; 9. Size-mixing Becks; 10. Protection of Wood- and Iron-work (§§282-293)—VENTILATING SIZING ROOMS: Conflicting Expert Opinions respecting Different Systems (§294) —Description of Various Systems Designed by Sagar, Lancaster & Waddington, and Stanworth, respectively (§295)—Sagar's Two-trunk System (§296)—Gregson's Horizontal-trunk System (§297) —DATA RELATING TO SLASHER SIZING MACHINES: Index Nos. of Machines, Dimensions, Weight, Cost, Depreciation, Ratio of Sizing Machines to Looms, Power, Speed, Production, Waste, Rate of Wages—Blackburn Standard List of Prices, Weekly Earnings (§§298-310) 160-313

CHAPTER VIII

AIR-DRYING SLASHER OR TAPE SIZING MACHINES

Superiority of Air-drying over Cylinder-drying of Yarn (§311)—TYPES OF AIR-DRYING SIZING MACHINES (§312)—Process of Scotch Dressing or Sizing (§§313-4)—SCOTCH DRESSING OR SIZING MACHINES (§§315-6): Driving Mechanism (§§317-8) — Data relating to Dresser Sizing Machines (§319)—AIR-DRYING SLASHER SIZING MACHINES (§320): Tattersall & Holdsworth HORIZONTAL TYPE of Air-drying Chamber (§321)—Construction and Method of Heating this Form of Drying Chamber; also Progress of Yarn through the Machine (§§322-3)—Zach Horizontal Air-drying Chamber,

R. Hall & Sons, Construction and Method of Heating this Form of Chamber (§324)—Comparative Merits of Hot and Relatively “Cool” Air-drying of Yarn (§§325-6)—Bullough & Whitehead “Cool” Air-drying Chamber, Howard & Bullough, Construction and Method of Heating this Form of Chamber (§327)—Masurel-Leclercq VERTICAL TYPE of Air-drying Chamber, Comprising Five Modifications, Knowles & Co., Construction and Method of Heating this Form of Drying Chamber (§328)—Comparison of the Merits Claimed in Favour of both Vertical and Horizontal Air-drying Chambers (§§329-332)—Various Modifications of this Form of Chamber (§§333-5) — The Vertical Beam-creel and other Distinctive Features of the Masurel-Leclercq Sizing Machines (§§336-7) — Table of Particulars relating to the Productiveness of these Machines for Different Classes of Warps (§§338-9) — Marr Modification of the Vertical Type of Air-drying Chamber, Vincent, Roberts & Marr, Progress of Yarn through the Chamber ; also the Construction and Method of Heating that Chamber (§§340-2)—Data relating to the Productiveness of this Form of Chamber (§343)—Sucker Horizontal Type of Air-drying Sizing Machine, Gebrüder Sucker, Construction and Method of Heating this Form of Drying Chamber ; also Progress of Yarn through the Machine (§344) 314-356

CHAPTER IX

LOOMING : I. DRAWING-IN ; 2. TWISTING-IN ;
3. TYING-IN

MANUAL DRAWING-IN (§§345-9) : A more Approved Method of Procedure when Drawing-in for “Fancy” Weaving (§348)—Mechanical Appliances for Drawing-in, Sleying or Denting Hook (§§349-351)—AUTOMATIC WARP DRAWING-IN MACHINE : Weaving Appliances (§352)—Description of Principal Parts of this Machine (§353)—Its Limitations and Productiveness (§354)—Manual Twisting-in (§§355-7)—AUTOMATIC WARP TWISTING-IN AND LEASING MACHINES : Cook & Co. (§358)—AUTOMATIC WARP-TYING MACHINE : Barber & Colman (§§359-360)—DATA RELATING TO MANUAL LOOMING : Production, Rate of Wages—Blackburn, Nelson, Colne and Districts Standard Lists of Prices for (a) Drawing-in, and (b) Twisting-in ; Weekly Earnings for (a) Drawing-in, and (b) Twisting-in (§§361-5)—Gaiting (§366) 357-380

INDEX 381