


CSc 110, Autumn 2016

Lecture 37: Sorting

Adapted from slides by Marty Stepp and Stuart Reges



Binary search

- Write a function that searches an entire sorted list for a given value and returns the index the value is at, or if it isn't in the list the index it should be inserted at plus one negated. You can assume the list is sorted.

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	-4	2	7	12	18	25	27	30	36	42	56	68	85	91	92	98	102

Binary search code

```
# Returns the index of an occurrence of target in a,  
# or a negative number if the target is not found.  
# Precondition: elements of a are in sorted order  
def binary_search(a, target):  
    min = 0  
    max = len(a) - 1  
  
    while (min <= max):  
        mid = (min + max) // 2  
        if (a[mid] < target):  
            min = mid + 1  
        elif (a[mid] > target):  
            max = mid - 1  
        else:  
            return mid      # target found  
  
    return -(min + 1)      # target not found
```

Binary search

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	-4	2	7	12	18	25	27	30	36	42	56	68	85	91	92	98	102

What do the following calls return when passed the above list?

```
binary_search(a, 2)
```

```
binary_search(a, 68)
```

```
binary_search(a, 12)
```

How many comparisons does each call do?

Sorting

- **sorting**: Rearranging the values in a list into a specific order (usually into their "natural ordering").
 - one of the fundamental problems in computer science
 - can be solved in many ways:
 - there are many sorting algorithms
 - some are faster/slower than others
 - some use more/less memory than others
 - some work better with specific kinds of data
 - some can utilize multiple computers / processors, ...
 - *comparison-based sorting* : determining order by comparing pairs of elements:
 - $<$, $>$, ...

Bogo sort

- **bogo sort**: Orders a list of values by repetitively shuffling them and checking if they are sorted.
 - name comes from the word "bogus"

The algorithm:

- Scan the list, seeing if it is sorted. If so, stop.
 - Else, shuffle the values in the list and repeat.
- This sorting algorithm (obviously) has terrible performance!

Bogo sort code

```
# Places the elements of a into sorted order.
```

```
def bogo_sort(a):
```

```
    while (not is_sorted(a)):
```

```
        shuffle(a)
```

```
# Returns true if a's elements  
#are in sorted order.
```

```
def is_sorted(a):
```

```
    for i in range(0, len(a) - 1):
```

```
        if (a[i] > a[i + 1]):
```

```
            return False
```

```
    return True
```

```
# Swaps a[i] with a[j].
```

```
def swap(a, i, j):
```

```
    if (i != j):
```

```
        temp = a[i]
```

```
        a[i] = a[j]
```

```
        a[j] = temp
```

```
# Shuffles a list by randomly swapping each  
# element with an element ahead of it in the list.
```

```
def shuffle(a):
```

```
    for i in range(0, len(a) - 1):
```

```
        # pick a random index in [i+1, a.length-1]
```

```
        range = len(a) - 1 - (i + 1) + 1
```

```
        j = (random() * range + (i + 1))
```

```
        swap(a, i, j)
```

Selection sort

- **selection sort:** Orders a list of values by repeatedly putting the smallest or largest unplaced value into its final position.

The algorithm:

- Look through the list to find the smallest value.
- Swap it so that it is at index 0.

- Look through the list to find the second-smallest value.
- Swap it so that it is at index 1.

- ...

- Repeat until all values are in their proper places.

Selection sort example

- Initial list:

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	22	18	12	-4	27	30	36	50	7	68	91	56	2	85	42	98	25

- After 1st, 2nd, and 3rd passes:

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	-4	18	12	22	27	30	36	50	7	68	91	56	2	85	42	98	25

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	-4	2	12	22	27	30	36	50	7	68	91	56	18	85	42	98	25

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	-4	2	7	22	27	30	36	50	12	68	91	56	18	85	42	98	25


Selection sort code

```
# Rearranges the elements of a into sorted order using
# the selection sort algorithm.
def selection_sort(a):
    for i in range(0, len(a) - 1):
        # find index of smallest remaining value
        min = i
        for j in range(i + 1, len(a)):
            if (a[j] < a[min]):
                min = j
        # swap smallest value its proper place, a[i]
        swap(a, i, min)
```

Selection sort runtime (Fig. 13.6)

- How many comparisons does selection sort have to do?

N	Runtime (ms)
1000	0
2000	16
4000	47
8000	234
16000	657
32000	2562
64000	10265
128000	41141
256000	164985



Similar algorithms

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	22	18	12	-4	27	30	36	50	7	68	91	56	2	85	42	98	25

- **bubble sort:** Make repeated passes, swapping adjacent values
 - slower than selection sort (has to do more swaps)

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	18	12	-4	22	27	30	36	7	50	68	56	2	85	42	91	25	98

22 → 50 → 91 → 98 →

- **insertion sort:** Shift each element into a sorted sub-list
 - faster than selection sort (examines fewer values)

index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
value	-4	12	18	22	27	30	36	50	7	68	91	56	2	85	42	98	25

sorted sub-list (indexes 0-7)

← 7


Merge sort

- **merge sort:** Repeatedly divides the data in half, sorts each half, and combines the sorted halves into a sorted whole.

The algorithm:

- Divide the list into two roughly equal halves.
 - Sort the left half.
 - Sort the right half.
 - Merge the two sorted halves into one sorted list.
-
- Often implemented recursively.
 - An example of a "divide and conquer" algorithm.
 - Invented by John von Neumann in 1945

Merge sort example



Merge halves code

```
# Merges the left/right elements into a sorted result.
# Precondition: left/right are sorted
def merge(result, left, right):
    i1 = 0    # index into left list
    i2 = 0    # index into right list

    for i in range(0, len(result)):
        if (i2 >= len(right) or (i1 < len(left) and left[i1] <=
right[i2])):
            result[i] = left[i1]    # take from left
            i1 += 1
        else:
            result[i] = right[i2]   # take from right
            i2 += 1
```

Merge sort code

```
# Rearranges the elements of a into sorted order using
# the merge sort algorithm.
def merge_sort(a):
    if (len(a) >= 2):
        # split list into two halves
        left  = a[0, len(a)//2]
        right = a[len(a)//2, len(a)]

        # sort the two halves
        merge_sort(left)
        merge_sort(right)

        # merge the sorted halves into a sorted whole
        merge(a, left, right)
```


Merge sort runtime

- How many comparisons does merge sort have to do?

N	Runtime (ms)
1000	0
2000	0
4000	0
8000	0
16000	0
32000	15
64000	16
128000	47
256000	125
512000	250
1e6	532
2e6	1078
4e6	2265
8e6	4781
1.6e7	9828
3.3e7	20422
6.5e7	42406
1.3e8	88344

