

## Reading data - scanf( ) etc.

Alon Efrat  
Computer Science Department  
University of Arizona

## The ``function" getchar()

- `getchar()` reads and returns a single character from the standard input.
- If reaches the end of the file returns EOF (end of file)
  - `char c; int cnt = 0;`
  - `while( ( c=getchar() ) != EOF)`
    - `if (c=='Z') cnt++ ;`
    - `printf(" The number of 'Z's in the file is %d\n", cnt) ;`
    - `/* When typing from the keyboard, ^D is usually EOF */`

2

## The function putchar()

- `putchar(x)` prints `x` to the standard input (i.e., without redirection, terminal).
  - `x` is a single character
  - Returns the value that was printed, or EOF
- `putchar('H') ; putchar('e') ; putchar('l') ;`  
`putchar('l') ; putchar('o') ; putchar('\n');`
- Prints `Hello\n`

3

## scanf() - reading a few variables

- Analogous to (surprise) `printf`
  - Used to read data in a formatted way, and assign it to variables.
  - Returns the number of successful variable assignments.
- ```
Char c; int n, i1, i2; float x;
n=scanf("%c%d%d%f", &c1, &i1, &i2, &x) ;
/* input: 512 47 192 23.193 */
Assignment: c='5', i1=12, i2=192, x=23.193, n=4 */
```

4

## Reading a string

- `char buf1[20] ;`
- `char buf2[] = "hello world" ;`
- `printf("%s", buf2) ;`
- `scanf("%s", buf1) ; /*Note – no & */`
- `/* Careful – no checks that the input string is of length < 20 */`

5

## chars and integers - some facts

- A character is stored in memory as an 8-bits integer. The value which is stored is the ascii value of the char
- `char c='A'` has the same effect as `char c=96`.
- Only the format of the printing determines whether a number (between 0 and 255) would be printed as a character, or as an integer.
- `printf("%d %d, %c%c", 96, 'A', 96, 'A') ;`
  - Output: `96 96, AA`
- `char c; c=getchar();`
- `If (c>='a' && c<='z') printf("%c is a small letter\n",c) ;`

6