

CSc 520

Principles of Programming Languages

10 : Garbage Collection — Generational Collection

Christian Collberg

collberg+520@gmail.com

Department of Computer Science
University of Arizona

—Spring 2008 — 10

Copyright © 2008 Christian Collberg

[1]

- Works best for functional and logic languages (LISP, Prolog, ML, ...) because
 1. they rarely modify allocated cells
 2. newly created objects only point to older objects
(`(CONS A B)` creates a new two-pointer cell with pointers to old objects),
 3. new cells are shorter lived than older cells, and old objects are unlikely to die anytime soon.

520 —Spring 2008 — 10

[2]

Generational Collection...

- Generational Collection therefore
 1. divides the heap into **generations**, G_0 is the youngest, G_n the oldest.
 2. allocates new objects in G_0 .
 3. GC's only newer generations.
- We have to keep track of back pointers (from old generations to new).

—Spring 2008 — 10

[3]

Generational Collection...

Functional Language:

```
(cons 'a '(b c))  
  ⇕  
 $t_1$ :  $x \leftarrow \text{new } '(b\ c);$   
 $t_2$ :  $y \leftarrow \text{new } 'a;$   
 $t_3$ :  $\text{return new cons}(x, y)$ 
```

- A new object (created at time t_3) points to older objects.

Object Oriented Language:


```
 $t_1$ :  $T \leftarrow \text{new Table}(0);$   
 $t_2$ :  $x \leftarrow \text{new Integer}(5);$   
 $t_3$ :  $T.\text{insert}(x);$ 
```

- A new object (created at time t_2) is *inserted into* an older object, which then points to the news object.


520 —Spring 2008 — 10

[4]

Generational Collection...



Generational Collection – After $GC(G_0)$



Generational Collection...

- Since old objects (in $G_n \cdots G_1$) are rarely changed (to point to new objects) they are unlikely to point into G_0 .
- Apply the GC only to the youngest generation (G_0), since it is most likely to contain a lot of garbage.
- Use the stack and globals as roots.
- There might be some **back pointers**, pointing from an older generation into G_0 . Maintain a special set of such pointers, and use them as roots.
- Occasionally GC older ($G_1 \cdots G_k$) generations.
- Use either mark-and-sweep or copying collection to GC G_0 .

Remembering Back Pointers

Remembering Back Pointers

Remembered List

After each pointer update $x.f := \dots$, the compiler adds code to insert x in a list of updated memory locations:

```
x↑.f := ...  
    ↓  
x↑.f := ...;  
insert(UpdatedList, x);
```

Remembering Back Pointers

Remembered Set

As above, but set a bit in the updated object so that it is inserted only once in the list:

```
x↑.f := ...  
    ↓  
x↑.f := ...;  
IF NOT x↑.inserted THEN  
    insert(UpdatedList, x);  
    x.↑inserted := TRUE;  
ENDIF
```

Remembering Back Pointers...

Card marking

- Divide the heap into “cards” of size 2^k .
- Keep an array `dirty` of bits, indexed by card number.
- After a pointer update $x↑.f := \dots$, set the dirty bit for card c that x is on:

```
x↑.f := ...  
    ↓  
x↑.f := ...;  
dirty[x div  $2^k$ ] := TRUE;
```

Remembering Back Pointers...

Page marking I

- Similar to Card marking, but let the cards be virtual memory pages.
- When x is updated the VM system automatically sets the `dirty` bit of the page that x is on.
- We don't have to insert any extra code!

Remembering Back Pointers...

Page marking II

- The OS may not let us read the VM system's dirty bits.
- Instead, we write-protect the page x is on.
- On an update $x↑.f := \dots$ a protection fault is generated. We catch this fault and set a dirty bit manually.
- We don't have to insert any extra code!

—Spring 2008 — 10

[13]


Cost of Garbage Collection

520 —Spring 2008 — 10

[14]

Cost of Garbage Collection

- The size of the heap is H , the amount of reachable memory is R , the amount of memory reclaimed is $H - R$.




$$\begin{aligned} \text{amortized GC cost} &= \frac{\text{time spent in GC}}{\text{amount of garbage collected}} \\ &= \frac{\text{time spent in GC}}{H - R} \end{aligned}$$

—Spring 2008 — 10

[15]

Cost of GC — Generational Collection




- Assume the youngest generation (G_0) has 10% live data, i.e. $H = 10R$.
- Assume we're using copying collection for G_0 .

$$\text{GC cost}_{G_0} = \frac{c_3 R}{\frac{H}{2} - R} = \frac{c_3 R}{\frac{10R}{2} - R} \approx \frac{10R}{4R} = 2.5$$

520 —Spring 2008 — 10

[16]



$$GC\ cost_{G_0} = \frac{c_3 R}{\frac{H}{2} - R} = \frac{c_3 R}{\frac{10R}{2} - R} \approx \frac{10R}{4R} = 2.5$$

- If $R \approx 100$ kilobytes in G_0 , then $H \approx 1$ megabyte.
- In other words, we've wasted about 900 kilobytes, to get 2.5 instruction/word GC cost (for G_0).

- Read Scott, pp. 388–389.