

CSc 520 — Principles of Programming Languages

25 : Names, Scope, Bindings — Closures

Christian Collberg
Department of Computer Science
University of Arizona
collberg+520@gmail.com

Copyright © 2008 Christian Collberg

April 21, 2008

1 Subroutine Closures

- A **closure** is a structure

`(procedure_addr, environment)`.

- To pass `C()` to `A` we construct a closure consisting of `C`'s address and the static link that would have been used if `C` would have been called directly:

```
program M;  
  procedure A(procedure P)  
    P();  
  end  
  procedure C(); begin end;  
begin  
  A(C);  
end
```

2 Deep Binding

- When a reference to a procedure is created (for example by passing it as a reference to another procedure), when are scope rules applied?
 1. When the reference is first created?
 2. When the routine is first called?
- Early binding of a referencing environment (what Pascal uses) is called *deep binding*.

3 Subroutine Closures...


```
procedure A(I:integer; procedure P)
  procedure B(); begin write(I); end;
begin
  if I > 1 then P() else A(2,B);
end

procedure C(); begin end;

begin
  A(1,C);
end
```

- There are two I:s when B is called.

4 Subroutine Closures...



- A closure was created for B when A(2,B) was closed, hence B will print 1.

5 First-Class Subroutines

- A language construct is first-class if it can be passed as a parameter, returned from a subroutine, or assigned to a variable.
- A language construct is second-class if it can be passed as a parameter but not be returned from a subroutine, or assigned to a variable.
- A language construct is third-class if it can't even be passed as a parameter.
- Procedures are second-class in most imperative languages.

6 First-Class Subroutines...

- If a procedure can be returned as the result of a function we could reference an environment that has gone out of scope:

```

        procedure A() : procedure;
            var x : integer := 5;
            procedure B();
                write(x);
            end
        begin
            return B;
        end;
begin
    var X : procedure := A();
    X();
end

```

7 First-Class Subroutines...

- In functional languages functions are first-class.
- Functional languages specify that local variables have **unlimited extent** — they exist for as long as someone references them.
- Algol-like languages specify that local variables have **limited extent** — they exist until the scope in which they are declared is exited.
- Objects with limited extent can be stored on a stack. Objects with unlimited extent must be stored on the heap.

8 First-Class Subroutines...

- C and C++ do not have nested scope — no problem.
- Modula-2 — global procedures are first-class (can be stored), local procedures are third-class.
- Modula-3 — global procedures are first-class, local procedures are second-class (can be passed as parameters).
- Ada 83 — procedures are third class.
- Ada 95 — nested procedures can be returned if the scope in which it was declared is at least as wide as that of the declared return type. I.e. a procedure can only be propagated to an area of the program where the referencing environment is active.

9 Call-With-Current-Continuation

- The Scheme built-in function call-with-current-continuation (also called call/cc) takes a function as argument:

```

call-with-current-continuation (foo)
  (foo cont)

```

foo takes a **continuation** as argument.

- (call/cc foo) calls foo, passing it the current continuation.
- A continuation is a closure that holds the current program counter and environment.

10 Call-With-Current-Continuation...

- `foo` can invoke the continuation and immediately return to the situation as it was when the call was made.
- Any intermediate stack frames are popped off.
- Continuations are first-class: you can store them in variables, return them from functions, etc.
- `call/cc` can be used as a general building-block to construct a variety of control structures, such as iterators and coroutines.
- Continuations can, for example, be used to quickly exit a tree-search procedure once the node we're looking for has been found.

11 Call-With-Current-Continuation...

- The function throws the continuation the value 99 which makes it pop out of the current evaluation and return 99:

```
> (call/cc (lambda (c) (c 99)))  
99
```

- The expression `(* [] 76)` is never executed. Rather, the function pops out and returns 99:

```
> (call/cc (lambda (c) (* (c 99) 76)))  
99
```

12 Call-With-Current-Continuation...

- Continuations can be stored in variables and invoked later:

```
> (let ((cont #f))  
    (call/cc (lambda (k) (set! cont k)))  
    (cont #f))  
99
```

- Or, like this:

```
> (define cont #f)  
> (+ 5 (call/cc  
        (lambda (e) (set! cont e) (* 4 3))))  
17  
> (cont 10)  
15
```

13 Readings and References

- Read Scott, pp. 141–143